

Dräger Alcotest 6810

The Dräger Alcotest 6810 offers professional users precise and quick breath alcohol analysis in a user-friendly and compact form. Thanks to its wide range of possible configurations, the handheld instrument can be easily adapted to meet different international regulations and guidelines.



Safe and easy to use

Automatic sampling and calibration processes make the instrument easy to use. All measurement functions are controlled via a single key, while menu navigation is by two menu keys. The special way the mouthpieces are designed means they can be fitted quickly and securely even in poor light conditions. Thanks to its compact dimensions, the Dräger Alcotest 6810 even fits into a shirt pocket. The ergonomic design makes the instrument equally easy to use for right and left-handed people.

Rapid ready for use

The latest technology ensures that the instrument is ready for use in a very short time.

Quick and precise analysis

The 1/4"-Dräger Sensor with its optimized gas dynamics measures specifically alcohol. Even at high alcohol concentrations direct gaspaths, fast pneumatic components and short reaction times of the sensor ensure the measurement result will be displayed quickly.

Low energy consumption

The Dräger Alcotest 6810 also allows the use of NiMH batteries which can be charged inside the instrument. More than 1,500 breath alcohol tests can be conducted on just two mignon batteries (AA size)

"Slide'n'click" mouthpiece

The shape of the mouthpiece means you will intuitively fit it correctly. An air outlet which cannot be obstructed prevents any manipulation when the breath sample is given. The individually packaged mouthpieces can be attached to the instrument easily and hygienically.

Optimized instrument interaction

Interaction between operator and instrument takes place via the backlit display with its easily comprehensible plain text messages. A light emitting diode with different colours and audible signals support the display.

Documentation, datalogger

The Dräger Alcotest 6810 has an optical interface to transfer data for generating a test protocol on a printer. The last 2000 measurement results with their respective test numbers, date and time are stored in the datalogger. Individual results can either be called up from the log by pressing the menu keys or transferred to a PC.



Dräger Alcotest 6810

TECHNICAL DATA

Principle of measurement	Electrochemical DrägerSensor in 1/4" technology; alcohol-specific
Measurement range	0 to 2.5 mg/L; if measurement range limit is exceeded, a message is displayed
Sampling Standard	automatic sampling when minimum volume is reached Passive sampling without mouthpiece or manual initiation of sampling possible
Ready for use	Approx. 6 s after switching on
Display of measurement result	After approx. 3 s (at 0 mg/L); after approx. 10 s (at 0.5 mg/L, room temperature)
Operating temperature	-5 to +50 °C / 23 to 122 °F
Display	Graphic backlit LCD display; 41 mm x 24 mm / 1.6" x 0.9" (128 x 64 pixels)
LED	3-colour, to support display and warning messages/optical interface for printer
Audible signal	Different signal tones to support display messages and warnings
Datalogger	Storage of last 2000 tests with test numbers, date and time
Power supply	Two AA alkaline or NiMH batteries. Charge status displayed. Approx. 1,500 tests can be performed on one set of alkaline batteries. Internal charging of NiMH batteries possible.
Calibration	Wet gas or dry gas calibration
Size, weight	Approx. 140 mm x 70 mm x 30 mm / 5.5" x 2.8" x 1.2", approx. 195 g / 0.5 lbs, incl. batteries
Instrument configuration	Direct menu-guided configuration of instrument settings (PIN required) No additional PC software needed
Vibration and shock	Conforms to EN 60068-2-6, EN 60068-2-29
CE marking	Directive 89/336/EC (electromagnetic compatibility)
Data interfaces	USB connection to a PC; optical interface to the Alcotest-Printer

ORDER INFORMATION

Dräger Alcotest 6810 (incl. 3 mouthpieces, 2 batteries, wrist strap, plastic case)	83 18 570	Accu-Set Dräger Alcotest 6810 (NiMH rechargeable batteries and cover)	83 18 565
Dräger Alcotest mouthpieces/slide'n'click		Power source 600 mA, 11 V, for charging NiMH batteries	83 16 991
Pack of 100 mouth pieces	68 10 690	12V Car Charger	83 20 252
Pack of 250 mouth pieces	68 10 825	PC connecting cable USB	83 19 715
Pack of 1000 mouth pieces	68 10 830	Software AlcoView 6810 (to read out data)	83 17 915
Dräger Alcotest mouthpieces/slide'n'click with spit trap and non-return valve.			
Pack of 100 mouth pieces	68 11 055		

HEADQUARTERS

Dräger Safety AG & Co. KGaA
Revalstrasse 1
23560 Lübeck, Germany
www.draeger.com

SUBSIDIARIES

AUSTRALIA

Draeger Safety Pacific Pty. Ltd.
Acess Corporate Park
Unit 99, 45 Gilby Road
Mt. Waverley Vic 3149
Tel +61 3 92 65 50 00
Fax +61 3 92 65 50 95

CANADA

Draeger Safety Canada Ltd.
7555 Danbro Crescent
Mississauga, Ontario L5N 6P9
Tel +1 905 821 8988
Fax +1 905 821 2565

P. R. CHINA

Beijing Fortune Draeger Safety
Equipment Co., Ltd.
A22 Yu An Rd, B Area,
Tianzhu Airport Industrial Zone,
Shunyi District, Beijing 101300
Tel +86 10 80 49 80 00
Fax +86 10 80 49 80 05

FRANCE

Dräger Safety France SAS
3c route de la Fédération,
BP 80141
67025 Strasbourg Cedex 1
Tel +33 3 88 40 59 29
Fax +33 3 88 40 76 67

ITALY

Draeger Safety Italia S.p.A
Via Longarone 35
20080 Zibido San Giacomo (MI),
Italy
Tel +39 02 90 59 49 1
Fax +39 02 90 00 36 86

MEXICO

Draeger Safety S.A. de C.V.
Av. Peñuelas No. 5 Bodega No. 37
Fraccionamiento Industrial
San Pedrito
Querétaro, Oro México
Tel +52 442 246-1113
Fax +52 442 246-1114

NETHERLANDS

Dräger Safety Nederland B.V.
Edisonstraat 53
2700 AH Zoetermeer
Tel +31 79 344 46 66
Fax +31 79 344 47 90

REP. OF SOUTH AFRICA

Dräger South Africa (Pty) Ltd.
P.O.Box 68601
Bryanston 2021
Tel +27 11 465 99 59
Fax +27 11 465 69 53

SINGAPORE

Draeger Safety Asia Pte Ltd
67 Ayer Rajah Crescent
#06-03
Singapore 139950
Tel +65 68 72 92 88
Fax +65 65 12 19 08

SPAIN

Dräger Safety Hispania S.A.
Calle Xaudaró 5
28034 Madrid
Tel +34 91 728 34 00
Fax +34 91 729 48 99

UNITED KINGDOM

Draeger Safety UK Ltd.
Blyth Riverside Business Park
Blyth, Northumberland
NE24 4RG
Tel +44 1670 352-891
Fax +44 1670 356-266